

# Be



# Be Design features



### 1. Surround Colours

Available in two colours, black or white with a satin finish.

### 2. Internal Colour

The matte black interior finish is the perfect backdrop to showcase the flame.

### Robust materials

Crafted from mild steel, toughened glass and grade 304 stainless steel for durability.

### No Flue, No Chimney, No Electricity Connection

Our freestanding fireplaces offer an easy and immediate, environmentally friendly solution to adding warmth and ambiance to any location.

### 3. Practical Design

Opening 'doors' facilitates easy operation and refilling of the stainless steel burner, ensuring easy use and enjoyment.

### Quick and Easy Installation

With no installation or building works required, simply unpack, put in position, and off you go.

### Portable Fireplace

Fully portable, you can move the fireplace between rooms and outdoor spaces, or store away when not needed.

### Ground Fixing Brackets

Models come with fixing brackets for permanently locating into a fixed position.

### 4. Burner Colour

Available with a Stainless Steel or Black Burner.

### 5. Air Intake Slots

Air Intake slots assist with flame stability, burn time and consistency that can affect heat output and fuel efficiency.

### Global Compliance

This model complies with existing standards in the USA, Europe, UK and Australia. O-TL listed to UL 1370, EN 16647 BSI Certified and ACCC Safety Mandate compliant.

### Included Accessories



Jerry Can with Safety Spout & e-NRG bottle adaptor



Lighting Rod & Lighter



Jerry Can Spout Extension


# Be Specifications

Slimline, portable corner-style fireplace with two viewing sides. Ideal for smaller residential and commercial spaces.

## Burner Ventilation and Efficiency\*

Dimensions L x W x H mm/in	Compatible Burner	Fuel Capacity	Heats on Average (Indoors)	Thermal Output Net (MAX)	Approx. Burn Time	Minimum Room Size
420 x 420 x 1345 16.5 x 16.5 x 53	AB3	2.5 L [0.7 Gals]	Over 20 m <sup>2</sup> [215 ft <sup>2</sup> ]	6.14 MJ/h 5,800 BTU/h 1.7 kW	8 - 11 hours	40 m <sup>3</sup> [1,413 ft <sup>3</sup> ]

Application	Indoor & Outdoor (Undercover)	
Surround Colours	 Black ESF.D.BE3.BL	 White ESF.D.BE3.WH
Burner Colours	 Stainless Steel	 Black
Materials	Grade 304 Stainless Steel Burner with optional Black Ceramic Coating, Toughened Glass Fire Screen, Mild Steel with High Temperature Powder-coating	
Approx. Weight	40.5kg [89lbs] Weight includes burner.	
Fuel Type	e-NRG Bioethanol / <a href="http://e-NRG.com">e-NRG.com</a>	



\*These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG.  
This model comes with fixing brackets for permanently locating into a fixed position.  
This model complies with existing standards in the USA, Europe, UK and Australia. O-TL listed to UL 1370, EN 16647 BSI Certified and ACCC Safety Mandate compliant.

## FOR MORE INFORMATION PLEASE REFERENCE THE CLEARANCE & INSTALLATION MANUAL

Disclaimer: All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.